


S28R(finish) STATUS[®] NEBRASKA

Product Code	S28R(finish)	
Product Name	STATUS [®] Nebraska Lever	
Product Description	Nebraska Lever on Round Rose	
Product Base Material	Zinc Alloy	
Available Finishes	Antique Brass (AB)	Matt Black (MB)
	Polished Chrome (PC)	Satin Brass (SB)
	Satin Chrome (SC)	Urban Dark Bronze (UDB)

Other Information	To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied 2 x Bolt through Fixing, Wood Screws, 8 mm x 8 mm x 100 mm Split Spindle, 2 x Loctite coated Grub Screws & Allen Key. Bolt through Fixing and Grub Screws must be used. 10 Year Mechanical Guarantee subject to fitting requirements.	
Matching WC Turn:	S2WCR(finish)	
Matching ESC:	Key: S2ESCKR(finish)	Euro: S2ESCER(finish)

Dimensions

S28R Lever Dimensions:



Product Image



Product Finish Pictured: Matt Black

Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

the finish matters

AH1433(finish) ATLANTIC[®] BALL BEARING HINGE

Product Code	AH1433(finish)	
Product Name	ATLANTIC [®] Ball Bearing Hinge Grade 13 Fire Rated 4" x 3" x 3mm	
Product Description	4" Ball Bearing Hinge Grade 13 Fire Rated - 4" x 3" x 3mm	
Product Base Material	Stainless Steel	
Available Finishes	Antique Brass (AB)	Matt Gun Metal (MBN)
	Antique Copper (AC)	Polished Stainless Steel (PSS)
	Black Nickel (BN)	Satin Brass (SB)
	Distressed Silver (DS)	Satin Stainless Steel (SSS)
	Electroplated Brass (EB)	Urban Bronze (UB)
	Matt Antique Brass (MAB)	Urban Satin Copper (USC)
	Matt Black (MB)	

Some finishes also available in packs of three.


Other Information
To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied with wood screws.
10 Year Mechanical Guarantee subject to fitting requirements.

Matching Hinges:
AHG111433(finish)



Dimensions

Length (C): 102mm
Full Width (A): 76mm
Depth of Leaf (D): 3mm
Depth of Knuckle (E): 14mm



Product Image



Product Finish Pictured: Matt Black

Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

the finish matters

ALKSASH3LK3(finish) ATLANTIC[®] 3 LEVER KEY SASHLOCK

Product Code	ALKSASH3LK3(finish)	
Product Name	ATLANTIC [®] Elite CE Certifire 3 Lever Key Sashlock 3"	
Product Description	Atlantic Elite CE Certifire Bolt Through 3 Lever Key Sashlock 3 inch - FD 30/60	
Product Base Material	Pressed Steel	
Available Finishes	Antique Brass(AB)	Polished Chrome (PC)
	Antique Copper (AC)	Polished Nickel (PN)
	Black Nickel (BN)	Satin Brass (SB)
	Distressed Silver (DS)	Satin Chrome (SC)
	Matt Antique Brass (MAB)	Satin Nickel (SN)
	Matt Black (MB)	Urban Bronze (UB)
	Matt Gun Metal (MBN)	Urban Dark Bronze(UDB)
	Polished Brass (PB)	

Other Information

To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied with wood screws.
10 Year Mechanical Guarantee subject to fitting requirements.
Suitable for Fire Doors FD30/60

Dimensions



Certifire Approved
Product CF611




FD30/60



CE Marked



BSEN 12209



ALKSASH3LK3
Atlantic 3 Lever Sashlock
Back Set: 45mm
Face Plate Size: 152mm x 22mm
Dust Box: Yes

Product Image



Product Finish Pictured: Polished Nickel (PN)

Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

the finish matters

S2ESCKR(finish) STATUS[®] KEY ESCUTCHEON

Product Code	S2ESCKR(finish)	
Product Name	Status [®] Key Escutcheon	
Product Description	Escutcheon to suit Status [®] Designer Door Lever with Key - profile keyhole	
Product Base Material	Zinc Alloy – high grade	
Available Finishes	Polished Chrome (PC)	Satin Nickel (SN)
	Matt Black (MB)	Satin Chrome/Polished Chrome (SCPC)
	Satin Chrome (SC)	Satin Nickel/Brass Plate (SN/BP)

Other Information	To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied 2 x Bolt through Fixing, Wood Screws, 1 x Loctite coated Grub Screws & Allen Key. Bolt through Fixing and Grub Screws must be used. 10 Year Mechanical Guarantee subject to fitting requirements.
-------------------	--

Dimensions

Dimensions
Width/Height: 51mm
Depth: 10mm
Unit: Sold in pairs

Product Image



Finish Photographed: Matt Black

Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

the finish matters