

## OE178L(finish) OLD ENGLISH® WARWICK ON BACKPLATE - LEVER

|                         |   |
|-------------------------|---|
| Product Code            | OE178L(finish)  |
| Product Name            | OLD ENGLISH® Warwick Lever on Backplate - Lever   |
| Product Description     | Warwick Lever on Backplate - Lever  |
| Product Base Material   | Zinc Alloy  |
| Available Finishes      | Antique Brass (AB)                      Urban Dark Bronze (UDB)<br>Distressed Silver (DS)                      Matt Black (MB)<br>Matt Antique Brass (MAB)                      Matt Gun Metal (MBN)  |
| Other Information       | To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish.<br>Supplied 2 x Bolt through Fixing, Wood Screws, 8 mm x 8 mm x 100 mm Split Spindle, 2 x Loctite coated Grub Screws & Allen Key. Bolt through Fixing and Grub Screws must be used. 10 Year Mechanical Guarantee subject to fitting requirements. Suitable for 35mm doors only. |
| Matching WC Turn Lever: | OE178WC(finish)   |
| Matching Key Lever:     | OE178K(finish)  |

### Dimensions

OE178L Lever Dimensions:  
Backplate width: 51mm  
Handle length: 121mm  
Backplate Length: 175mm  
Backplate Depth: 10mm  
Backplate & Lever Projection: 62mm

### Product Image



Product Finish Pictured: Distressed Silver

### Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.


*the finish matters*

## A2H322(finish) ATLANTIC<sup>®</sup> BALL BEARING HINGE

|                       |   |  |
|-----------------------|---|--|
| Product Code          | A2H322(finish)  |  |
| Product Name          | ATLANTIC <sup>®</sup> CE Ball Bearing Hinge FD 30/60 UKCA Marked  |  |
| Product Description   | 3" CE Ball Bearing Hinge - 3" x 2" x 2mm with Screws FD 30/60 UKCA Marked   |  |
| Product Base Material | Stainless Steel   |  |
| Available Finishes    | Antique Brass (AB)<br>Antique Copper (AC)<br>Black Nickel (BN)<br>Distressed Silver (DS)<br>Matt Antique Brass (MAB)<br>Matt Black (MB)<br>Matt Gun Metal (MBN)<br>Polished Brass (PB)              | Polished Nickel (PN)<br>Polished Stainless Steel (PSS)<br>Satin Brass (SB)<br>Satin Nickel (SN)<br>Satin Stainless Steel (SSS)<br>Urban Bronze (UB)<br>Urban Dark Bronze (UDB)<br>Urban Satin Copper (USC) |
| Other Information     | To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied with wood screws.<br>10 Year Mechanical Guarantee subject to fitting requirements. |  |
| Matching Hinges:      | A2HB32525(finish), AH1433(finish), APH424(finish)   |  |

### Dimensions

Length (C): 76mm  
 Full Width (A): 50mm  
 Depth of Leaf(D): 2mm  
 Depth of Knuckle(E): 12mm



### Product Image



Product Finish Pictured: Distressed Silver (DS)



FD30/60



CE Marked



BS EN 1935



Certifire Approved Product

### Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

*the finish matters*

## ALCE25(finish) ATLANTIC® ELITE TUBULAR LATCH

|                       |   |                          |
|-----------------------|---|--------------------------|
| Product Code          | ALCE25(finish)  |                          |
| Product Name          | ATLANTIC® Elite CE Certifire Tubular Latch 2.5"   |                          |
| Product Description   | Atlantic Elite CE Certifire Bolt Through Tubular Latch 2.5 inch   |                          |
| Product Base Material | Mild Steel. Bolt - Zinc.  |                          |
| Available Finishes    | Antique Brass(AB)   | Polished Brass (PB)      |
|                       | Antique Copper(AC)  | Polished Chrome (PC)     |
|                       | Black Nickel (BN)   | Polished Nickel (PN)     |
|                       | Distressed Silver (DS)  | Satin Brass (SB)         |
|                       | Matt Antique Brass (MAB)  | Satin Chrome (SC)        |
|                       | Mat Black (MB)  | Satin Nickel (SN)        |
|                       | Matt Gun Metal (MBN)  | Urban Bronze (UB)        |
|                       | Polished Brass (PB)   | Urban Satin Copper (USC) |
| Other Information     | To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will damage the applied finish. Supplied with wood screws.<br>10 Year Mechanical Guarantee subject to fitting requirements. |                          |
| Matching Deadbolt:    | ADBCE25   |                          |

### Dimensions

Total Length: 65mm  
Back Set: 45mm  
Face Plate Size (Fixed): 58mm x 27mm  
Dust Box: Yes



FD30/60



CE Marked



BSEN 1935



Warrington  
certifire  
Certification  
Certifire Approved  
Product

### Product Image



Product Finish Pictured: Satin Chrome (SC)

### Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.

*the finish matters*